

SUPPLEMENTARY INFORMATION FOR

Local melting to design strong and plastically deformable bulk

metallic glass composites

Yue-Sheng Qin ¹, Xiao-Liang Han ¹, Kai-Kai Song ^{1,†}, Yu-Hao Tian ¹, Chuan-Xiao Peng ¹, Li Wang ^{1,†}, Bao-An Sun ², Gang Wang ³, Ivan Kaban ⁴, and Jürgen Eckert ^{5,6}

¹ School of Mechanical, Electrical & Information Engineering, Shandong University (Weihai), Wenhua Xilu 180, 264209 Weihai, P.R. China. ² Centre for Advanced Structural Materials, Department of Mechanical and Biomedical Engineering, City University of Hong Kong, 999077 Hong Kong SAR, P.R. China. ³ Laboratory for Microstructures, Shanghai University, 200444 Shanghai, P.R. China. ⁴ IFW Dresden, Institute for Complex Materials, Helmholtzstraße 20, 01069 Dresden, Germany. ⁵ Erich Schmid Institute of Materials Science, Austrian Academy of Sciences, Jahnstraße 12, A-8700 Leoben, Austria. ⁶ Department Materials Physics, Montanuniversität Leoben, Jahnstraße 12, A-8700 Leoben, Austria. [†] Correspondence and requests for materials should be addressed to K.S. (email: songkaikai8297@gmail.com) or to L.W. (email: wanglihxf@sdu.edu.cn).

This file includes:

Supplementary Figure S1;




Figure S1 The OM images taken from the top and bottom surfaces of a $\text{Cu}_{47}\text{Zr}_{47}\text{Al}_6$ plate after local melting with an input power of 604 ± 124 W.